

Kick Start your Life!



#### **EXTERIOR CHARACTER**

#### Black resin grille and lamps create a unified impression of the front elements for a tough, dignified look.

Bold and muscular front grille with trapezoid motifs leaves a lasting impression.

Headlamps with "gripping" design for a strong, aggressive image

Intense black resin front bumpers have a strong identity and gives the car a commander image



are pushed to the corner, much higher than a regular hatch for a unique signature fook and instant



The rear bumper is also made with black resin separate from the body panel, adding to the strong image.



# **Captivating Exterior**

With its unique proportions inspired from Suzuki's Iconic SUVs, the S-PRESSO stands out as it explores the urban jungle seeking for adventure.



# Side Design

- The side body volume has been pushed upwards to give high visual center of gravity.
- -The square-like wheel arches enhance its stance and sporty side.
- The strong character line adds to the car's bold persona

## **EXTERIOR FEATURES**

# Headlamps and Rear Combination Lamps

Multi-reflector Halogen headlamps provides greater light distribution and the "gripping" design looks energetic and robust. The rear lamps with signature C-shape are designed for instant recognition

#### 14-inch steel wheel (full wheel cover)



#### **Body Color**

A new color has been introduced for the New S-PRESSO that perfectly captures its robust and preppy characteristics, and further emphasizes the bold and exciting impression

S PREISO









NEW Sizzle Orange (ZZT)

Fire Red (Z4Q)

Metallic Grante Gray (ZTN)

Metallic Silky Silver (Z25)



#### INTERIOR FEATURES

#### Instrument panel

The unique instrument panel with its vibrant and innovative styling delivers a one-of-a-kind user interface. The meter cluster placed at the center gives the driver a new, heightened driving experience.



# Speedometer

The unique and cutting-edge design ensures good visibility of the speedometer.



#### Convenient Power Windows

The power window controls for the front side windows are located at the centre of the instruments for easy operation.



## Air conditioner & USB Port

Easy to operate manual air conditioner and below it, a 12V socket and USB port to play your audio files in the front console to charge devices.



## 7" Touchscreen Audio

Equipped with 7"Touchscreen AM/FM Radio with USB (Video, Music and Photo playback) and Bluetooth function.



#### Front and Rear Seats

The sporty and stylish seat trim design with coordinated accent gives it a burst of energy that makes the interior even more vibrant



The car is designed thoughtfully so as to provide extra space. Engine room space has been minimize to maximize luggage and occupant space.

There is also ample shoulder room in the front and rear, ensuring comfort for both driver and passenger.

## Ample Luggage Space

The S-PRESSO combines compact body size with a spacious 239-litre luggage compartment. Its rear bench seat also fold to produce even more space for bigger items.

# Everyday use storage

The S-PRESSO is chockfull of storage options for greater convenience.





#### PERFORMANCE

## 1.0L Petrol Engine


Under the hood of the S-PRESSO is a 1.0-litre engine that is compact in size. It delivers a peppy performance and enhanced fuel efficiency, making the driving experience all the more exciting.

ENGINE	S-PRESSO
Type	K108
Number of cylinders	3
Number of valves	12
Piston displacement	998
Bare x Strake	73×79.5
Compression ratio	11.0
Maximum output (hp/rpm)	67/5,500
Maximum Torque (N.m/rpm)	90/3,500



# 5 Speed manual transmission

The 5 speed manual transmission offers an optimal gear ratio, and reduces friction for the engine and drive train to obtain the best possible fuel consumption and power performance.






#### Aerodynamic and NVH

Muffler noise, road noise and floor vibration are minimized through optimizing body characteristics. Not only are the noises reduced by use of enhanced insulation materials on the car body through a series of intricate improvements to optimize airflow, the ideal balance of design and aerodynamic performance is achieved.

# New generation "HEARTECT" platform


The S-PRESSO rest on Suzuki's new generation "HEARTECT" platform that delivers enhanced fundamental vehicle performance due to being light and highly rigid. Its smooth, curving form disperses energy more efficiently for great collision safety and its lighter weight contributes to lower fuel consumption and higher driving performance.



# TECT (Total Effective Control Technology)

The body design centers on Suzuki's TECT concept, resulting in a structure that efficiently absorbs and disperses the energy in the event of a collision.

SAFETY



Force limiter


The pre-tensioner is designed to tighten the seatbelts to restrain occupants quickly and to prevent them from being thrown forward in case of a moderate or severe frontal crash. Force limiter helps protect occupants from seatbelt inflicted injuries

## ABS with EBD

Pre-tensioner

In an emergency braking situation, the Anti-lock Braking System (ABS) keep tyres from locking up and support the driver to maintain steering ability. While the Electronic Brake Force Distributor (EBD) shortens the breaking distance by optimally distributing force to the front and rear wheels.





# **Rear Parking Assist System**

Ultrasonic sensors in the rear bumper detect obstacles while the driver is parking the car. Warning sounds help the driver by changing in accordance with the distance to the obstacle.

# **Turning Radius**

A minimum turning radius of 4.5m provide excellent maneuverability even on narrow roads.

4.5m



#### MAJOR SPECIFICATIONS

DIMENSIONS			GL
Overall Langth		rom	3,565
Overall Width		mm	1,520
Overs# i-leight		enm	1,585
Wheelbase	-	mm	2,353
Tread Front		mm	1,315
Rear		mm	1,320
Minimum Turning Radius		m	4.5
Minimum Ground Clearance		mm	100
CAPACITY		4	
Souting capacity		persons	25
Luggage Capacity 10-ligh variant with percel shell)	Mix Volume	Liters	259
Fuel tank capacity		Liters	27
ENGNE			
Туре			K10B
Number of cylinders			3
Number of valves			12
Piston displacement		CC	998
Blore x stroke		mm	73 x 79.5
Compression ratio		- Party	11.0
Maximum output		hp/pm	67/5,500
Medimum torque		N-m/com	90/3,500
Fuel distribution			Multipoint injection
TRANSMISSION			
Туре			5MT
	1st		3.545
	2nd		1,905
Geor ratio	3rd		1.280
	491		0.967
	5m		0.784
	Reverse		3.273
Final ratio			4.389
CHASSIS		- 4	
Steering			Rack & Pinion
Brokes	Frunt		Ventilated disc
	Rear		Drum
Suspension	Frant.		MacPherson Strut
DIVINI	Rear		Torsion Beam
Tyres			165/70514
WEIGHTR			
Kerb weight (min./with full options)		kg	750/770
Gross vehicle weight		No.	1,170

DRIVING AMENITIES	1085-37	1000
Electric windows	Front	8
Central door looking	Switzh on drivor's skile	. 6
Romote controlled door locks	with hezard lamp answerback functions	- 5
Air conditioner	Manual	8
houter	110000000	8
Audio	Antenia (Front igof repairled)	8
	From Speanum X2  P touchsoreur Infolamment system	
	AMPAtrado	8
	Buildings	5
	USE buy iCin carrier consists	8
INTERIOR	[Independent of the control of the c	
Cabin Lights	Front celtin light (3-position)	- 8
Start Vision	Drivens side	8
	Plassenger's side	8
Assist gros	Plessanger's side	6
	Hour x2	8
Cup hedder	Front x2	- 6
Sottle Holder	Front x2	S
JSB port	Front Console	8
2V Interior accessory sticket	Front Consolu	s
terrrote talgate opener	IUW/ISS/9965-1	S
Remote fluid opener		8
nside door handles	Black	5
Storage Pucket	Front	8
SEATS	Hereine II	die
ront seids.	Head materies designated type:	8
Rear next	Bench seat	s
0048 T 188	ACCOUNT OF THE PARTY OF THE PAR	8
	Hood restraints (Separate type)	
Sest upholitery material	Vinyl + Fatric	S
LUGGAGE AREA		
Luggaga shalf		s
BAFETY AND SECURITY		6
Parleng sensors	Heur s2	
THE STATE OF THE PARTY OF THE P	Fried Ad	8
SRS front dua airbags		s
Contrato	Front 3-point ELR seathers with prefernioners and force systems	8
	Rear: 3-point ELR seattlets (side x 2), 2-point laptet (center)	8
ISOFIX child seat anchorage		5
Child seut tether anchorages		8
Childuruol reur door looks		S
control ser coor coss		- 3

#### **Major Equipments**

S. Supplied I -: Not applicable

CHASSIS		GL
Tyres and wheels	160/70R14 + steel wheets (full cover)	8
Spare tyre and wheel	16570R14 = stoot wheel	8
EXTERIOR		
Sporlers	Side Under spokers	8
From Upper Bumper	Body Coloured	5
Front Lower Dumper	Black resin	6
Rear Upper Bumper	Redy Coloured	S
Rear Lower Bumper	Black tests	- 6
Front Grille	Black	8
Outside door handles	Biody Coloured	8
Taligate openar	Key-Operated.	8
VISIBILITY		
Headlamps	Halogen multi-reflector	8
Position lamps	LED projector	S
Rear combination lamps	Revene lamp left only	- 5
Wipers	Front 2 speed (low & high) + intermittent weather	8
Durside door mirrors	Body coloured	8
	Marual adjust bar	S
Clay/night rearview mirror	Manual dimming	s
STEERING AND INSTRUMENT PA	WEL	
3-spoke streeting wheel	Uretrane	8
Power stearing	EPS .	-6
Information display integrated	Fuel consumption	8
mometer cluster	Oriving range (distance to empty)	a
Light-Off and Key Reminder		8
Univer's seathell reminder	Lamp & Alarm	- 5
Passenger's soutbelt reminder	Lamp & Alams	8
Motor European		5
Centre and side louvre begris		8





